

	Type	Hits	Search Text
1	BRS	36	(virtual adj synchronization)
2	BRS	117	(virtual near synchronization)
3	BRS	57	S2 and (loom or shaft or machine)
4	BRS	10	S2 and (loom or shaft)
5	BRS	201	S5 and (sensor or program or computer)
6	BRS	15	S6 and (virtual)
7	BRS	640	loom and (synchronize or synchronization)

	<b>DBs</b>	<b>Time Stamp</b>	<b>Comments</b>	<b>Error Definition</b>
1	USPAT; USOCR; EPO; JPO; DERWENT	2006/09/27 14:13		
2	USPAT; USOCR; EPO; JPO; DERWENT	2006/09/27 14:22		
3	USPAT; USOCR; EPO; JPO; DERWENT	2006/09/27 14:21		
4	USPAT; USOCR; EPO; JPO; DERWENT	2006/09/27 14:21		
5	USPAT; USOCR; EPO; JPO; DERWENT	2006/09/27 14:23		
6	USPAT; USOCR; EPO; JPO; DERWENT	2006/09/27 14:23		
7	USPAT; USOCR; EPO; JPO; DERWENT	2006/09/27 14:22		

	Type	L #	Hits	Search Text	DBs
1	BRS	L3	1	loom and weaving and (resilient near shedding)	USPAT; USOCR; EPO; JPO; DERWEN T
2	IS&R	L4	395	(139/55.1).CCLS.	USPAT; USOCR; EPO; JPO; DERWEN T
3	IS&R	L5	0	("4and((resilientnearcoupli ng))").PN.	USPAT; USOCR; EPO; JPO; DERWEN T
4	BRS	L6	0	4 and ((resilient or elastic) near coupling)	USPAT; USOCR; EPO; JPO; DERWEN T
5	BRS	L7	41	4 and (resilient or elastic)	USPAT; USOCR; EPO; JPO; DERWEN T

	Time Stamp	Comments	Error Definition	Errors
1	2006/09/28 12:03			
2	2006/09/28 12:03			
3	2006/09/28 12:03			
4	2006/09/28 12:04			
5	2006/09/28 12:11			

	Type	L #	Hits	Search Text	DBs
6	BRS	L8	279	loom and (gear adj train)	USPAT; USOCR; EPO; JPO; DERWEN T
7	BRS	L9	96	8 and (batten or shedding or shed)	USPAT; USOCR; EPO; JPO; DERWEN T
8	BRS	L10	877	gear and batten	USPAT; USOCR; EPO; JPO; DERWEN T
9	BRS	L11	160	10 and (loom or weaving)	USPAT; USOCR; EPO; JPO; DERWEN T
10	BRS	L12	152	11 and (harness or rod or shaft or main or heald)	USPAT; USOCR; EPO; JPO; DERWEN T

	Time Stamp	Comments	Error Definition	Errors
6	2006/09/28 12:12			
7	2006/09/28 12:15			
8	2006/09/28 12:15			
9	2006/09/28 12:15			
10	2006/09/28 12:15			